






TOOL 65 Nano Side Bend

Power consumption  
6,0 W/m • 1,8 W/ft



TOOL 65 Nano Top Bend

Power consumption  
6,0 W/m • 1,8 W/ft




TOOL-N Top Bend

Power consumption  
280 LED/m • 85 LED/ft  
280 LED/m • 85 LED/ft  
6,0 W/m • 1,8 W/ft  
12,0 W/m • 3,7 W/ft




TOOL 67 Micro Side Bend

Power consumption  
10,0 W/m • 3,1 W/ft




TOOL 67 Micro Top Bend

Power consumption  
10,0 W/m • 3,1 W/ft




TOOL Top Bend

Power consumption  
140 LED/m • 43 LED/ft  
14,4 W/m • 4,4 W/ft



TOOL Top Bend Square

Power consumption  
160 LED/m • 49 LED/ft  
14,4 W/m • 4,4 W/ft



TOOL Black Top Bend

Power consumption  
10,0 W/m • 3,1 W/ft



TOOL Side Bend

Power consumption  
140 LED/m • 43 LED/ft  
14,4 W/m • 4,4 W/ft



TOOL 3D

Power consumption  
140 LED/m • 43 LED/ft  
12,0 W/m • 3,7 W/ft




TOOL-M Side Bend

Power consumption  
160 LED/m • 49 LED/ft  
14,4 W/m • 4,4 W/ft



TOOL-M Side Bend Free Cut


Power consumption  
140 LED/m • 43 LED/ft  
140 LED/m • 43 LED/ft  
140 LED/m • 43 LED/ft  
5,0 W/m • 1,5 W/ft  
10,0 W/m • 3,1 W/ft  
14,4 W/m • 4,4 W/ft





TOOL Black Side Bend

Power consumption  
10,0 W/m • 3,1 W/ft




TOOL Black 3D

Power consumption  
Dropping soon




TOOL 67 3D

Power consumption  
5,0 W/m • 1,5 W/ft  
10,0 W/m • 3,1 W/ft




TOOL 67 Side Bend

Power consumption  
5,0 W/m • 1,5 W/ft  
10,0 W/m • 3,1 W/ft  
15,0 W/m • 4,6 W/ft



TOOL 68 Side Bend

Power consumption  
5,0 W/m • 1,5 W/ft  
10,0 W/m • 3,1 W/ft  
15,0 W/m • 4,6 W/ft



TOOL 68 Top Bend

Power consumption  
5,0 W/m • 1,5 W/ft  
10,0 W/m • 3,1 W/ft  
15,0 W/m • 4,6 W/ft




TOOL Sauna Side Bend

Power consumption  
5,0 W/m • 1,5 W/ft




TOOL Sauna Top Bend

Power consumption  
5,0 W/m • 1,5 W/ft




TOOL 67 Top Bend

Power consumption  
5,0 W/m • 1,5 W/ft  
10,0 W/m • 3,1 W/ft  
15,0 W/m • 4,6 W/ft




TOOL Grazer Top Bend

Power consumption  
18,0 W/m • 5,5 W/ft




TOOL Grazer 12 Top Bend

Power consumption  
18,0 W/m • 5,5 W/ft



TOOL Wall Washer Asy Top Bend


Power consumption  
18,0 W/m • 5,5 W/ft






TOOL Wall Washer 3D

Power consumption  
24,0 W/m • 7,3 W/ft









TOOL Chain Wall Washer Side Bend

Power consumption  
48,0 W/m • 14,6 W/ft



Some general features  
UL Listed,  
Consistency One Bin,  
Saltwater Resistant,  
Resistant to Solvents,  
UV Protection,  
Dimmable product



Variuos fastening options

Use for furniture with curved line:

Flexible Aluminium Profile,  
Aluminium Mounting clips,  
Steel Mounting clips,  
Adjustable Clips,  
Steel Clips,  
PC Clip

Use for furniture with straight lines:

PC Profile Side Fixing,  
Aluminium Profile,  
PC Profile

See the technical data sheets for further information

Headquarters  
F.L.I. Formula Luci Italia S.r.l.

Via IV Novembre, 171  
25080 Prevalle (BS) - IT

Customer service  
+39 030 7285038

General information  
info@formulaluci.com